

Approved plans in no way excludes items that may be found in the field and shall not be construed to be a permit or approval of any violation of any code provision.

Phone: (817) 820-0005

500 E DALLAS ST.
MANSFIELD, TX 76063

E4.1

GENERAL NOTES APPLY TO ALL:
 VERIFY MOUNTING REQUIREMENTS WITH EQUIPMENT INSTALLER.
 VERIFY ACTUAL EQUIPMENT LOADS AND CONNECTION REQUIREMENTS WITH EQUIPMENT BEING INSTALLED.

1. RE: E0.1 FOR ELECTRICAL SYMBOLS, ADDITIONAL GENERAL NOTES, AND ABBREVIATIONS.
2. RE: E0.2 FOR ELECTRICAL SPECIFICATIONS.
3. RE: E0.3 FOR LIGHTING CONTROL DETAILS
4. RE: E5.1 FOR BRANCH WIRING SCHEDULE FOR WIRE SIZES.
5. RE: E6.1 OR PANELBOARD SCHEDULES.
6. RE: E7.1 FOR LIGHT FIXTURE SCHEDULE.
7. RE: E7.1 FOR MECHANICAL / ELECTRICAL SCHEDULE.
8. LIGHTING CONTROLS TO INCLUDE "DAYLIGHTING ZONE" REQUIREMENTS.
9. PROVIDE ADDITIONAL CONDUCTOR WITHIN CIRCUITS WHERE REQUIRED FOR FOR UNSWITCHED POWER TO EXIT SIGNS AND EMERGENCY BALLAST / DRIVER SYSTEMS.
10. DESIGNATION REPRESENTS:
 - (X) EXISTING ELECTRICAL DEVICE TO REMAIN AS IS.
 - (R) EXISTING ELECTRICAL DEVICE TO TO BE REMOVED IN ITS ENTIRETY.
 - (RR) REMOVE AND RELOCATED EXISTING ELECTRICAL DEVICE.
 - (NL) NEW LOCATION FOR EXISTING RELOCATED ELECTRICAL DEVICE.

CCT EXISTING LIGHTING BRANCH CIRCUITING TO BE RE-USED FOR NEW LIGHT FIXTURES.



Scale: 1/4" = 1'-0"



MEP Consultant
Rene' A. Culross
Rene' A. Culross, P.E., PLL
1820 Hunting Green Drive
Fort Worth, TX 76134
817-798-6642
raculross@gmail.com
F-12230