



APPROVED

Reviewed for Code Compliance

ProjectName: C2-24-02038 &

CR-24-00667

Date: 4/25/2024

Approved plans in no way

excludes items that may be found

in the field and shall not be

construed to be a permit or

approval of any violation of any

code provision.

ARCHITECTURE

SCOTT MARTSOLF - ARCHITECT

815 Daggett Avenue


Fort Worth, Texas 76104

Phone: (817) 820-0005

ST. JUDE CATHOLIC CHURCH

PARISH HALL REMODEL & CONNECTOR BUILDING

500 E DALLAS ST.
MANSFIELD, TX 76063



105 Spores Drive Fort Worth, Texas 76126

TBPE Firm No. F-13825 (817) 713-4977

PERMIT SET

Drawing Title:
SLAB REINFORCING PLAN

Project No.


2023.297

Date:


1/12/2024

Sheet No.

S1.4



1.12.24



- REINFORCING SHOWN IS TO BE EQUALLY SPACED WITHIN THE SPECIFIED COLUMNS AND MIDDLE STRIPS (CS & MS)
- CS TOP & BOT BARS SHALL HAVE A 180° STD HK @ THE ENDS (ROTATE BARS AS REQ'D FOR CLEARANCE)
- MS TOP BARS SHALL HAVE A 180° STD HK @ THE ENDS (ROTATE BARS AS REQ'D FOR CLEARANCE)

1 EW SLAB REINFORCING
3/16" = 1'-0"