



PLOTTED BY: VALERIE ARRUDA DATE: 2/16/2024 2:21 PM PATH: P:\3786\00-01\700 Land Development\33 Construction Documents\Drawings\Sheet\STORM DRAIN PLAN.dwg



**LEGEND:**

- PROPOSED STORM DRAIN
- PROPOSED CURB INLET
- PROPOSED DROP INLET
- PROPOSED LANDSCAPE DRAIN

- NOTES:**
1. ALL MATERIALS AND WORKMANSHIP SHALL CONFORM TO THE CITY OF FORT WORTH STANDARD DETAILS AND SPECIFICATIONS.
  2. REFER TO SHEETS XX-XX FOR DETAILS.
  3. ALL PIPE SHALL BE HDPE ADS-N12 OR APPROVED EQUAL.
  4. ALL WYE, BENDS, REDUCERS AND PIPE TO BE PREFABRICATED.
  5. REFER TO SHEET C1.0 FOR GENERAL NOTES.
  6. REFER TO SHEET XX FOR PROFILES.

**!!!CAUTION!!!**  
UNDERGROUND UTILITIES

**!!!CAUTION!!!**  
UNDERGROUND UTILITIES

**GENERAL UTILITY NOTES:**

ALL EXISTING UTILITY DATA IS PROVIDED FOR INFORMATION ONLY. ALTHOUGH THIS DATA IS SHOWN AS ACCURATELY AS POSSIBLE, THE CONTRACTOR IS CAUTIONED THAT THE OWNER AND THE ENGINEER NEITHER ASSUME NOR IMPLY ANY RESPONSIBILITY FOR THE ACCURACY OF THIS DATA. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO CONTACT THE UTILITY AFFECTED AND VERIFY THESE LOCATIONS AND ELEVATIONS PRIOR TO CONSTRUCTION.

CALL TEXAS 811 OR OTHER UTILITY LOCATING SERVICES 48 HOURS PRIOR TO CONSTRUCTION ACTIVITY. MMA INC. IS NOT RESPONSIBLE FOR KNOWING ALL EXISTING UTILITIES OR DEPICTING EXACT LOCATIONS OF UTILITIES ON DRAWINGS.

**SOURCE BENCHMARK:**

CITY OF FORT WORTH MONUMENT #8963 - BRASS DISC STAMPED "8963" ON THE SOUTH CURB OF WESTPORT PARKWAY 66.0 FEET WEST OF THE WEST ENTRANCE RAMP TO I-35-N AND 160 FEET EAST OF THE CENTERLINE OF THE HERITAGE PARKWAY IN THE CENTER OF A 10 FOOT RECESSED INLET 1 FOOT OFF THE FACE OF CURB A CITY MON #8963 SET IN THE TOP OF THE INLET.

ELEV: 654.31'  
NAD83 TXNC (GRID)  
N: 7038654.13'  
E: 2332805.78'

**SITE BENCHMARK:**

TBM #1 - "X" CUT IN SQUARE LOCATED APPROXIMATELY 150' SOUTHWEST OF THE SOUTHEAST INTERSECTION OF WESTPORT PARKWAY AND SOUTHEAST BOUND LANE OF ALTA VISTA DRIVE. BENCHMARK IS APPROXIMATELY 40' SOUTHWEST OF THE NORTH ENTRANCE TO THE SUBJECT PROPERTY, ON TOP OF A CURB INLET IN THE SOUTH RIGHT OF WAY OF ALTA VISTA DRIVE.

ELEV: 674.75'  
NAD83 TXNC (GRID)  
N: 7039891.09'  
E: 2341537.55'

TBM #2 - "X" CUT IN SQUARE LOCATED APPROXIMATELY 555' SOUTHWEST OF THE SOUTHEAST INTERSECTION OF ALTA VISTA DRIVE AND NORTHEAST BOUND LANE OF WESTPORT PARKWAY. BENCHMARK IS ON A CURB INLET IN THE EAST RIGHT OF WAY OF WESTPORT PARKWAY.

ELEV: 675.54'  
NAD83 TXNC (GRID)  
N: 7039572.76'  
E: 2341024.54'

BEARINGS AND COORDINATE VALUES SHOWN HEREON ARE IN REFERENCE TO THE NAD83 TEXAS COORDINATE SYSTEM - NORTH CENTRAL ZONE, 4202, BASED ON GPS OBSERVATIONS UTILIZING THE LEICA GPS REFERENCE NETWORK. THE PROJECT SCALE FACTOR IS 1.000154642983 (0.999845380927), BASE POINT OF 0,0,0.

ST. TERESA OF CALCUTTA CATHOLIC CHURCH  
FORT WORTH, TEXAS  
STORM DRAIN PLAN

**mma**  
civil engineering surveying landscape architecture planning  
tpeles registration number: 1 - 2759  
tpeles registration/license number: 10088000  
519 east border  
arlington, texas 76010  
817-469-1671  
fax: 817-274-8757  
www.mmatus.com

THIS DOCUMENT IS RELEASED FOR THE PURPOSES OF REVIEW UNDER THE AUTHORITY OF VALERIE ARRUDA, P.E. NO. 151600 ON 2/16/2024 AND IS NOT TO BE USED FOR CONSTRUCTION, BIDDING OR PERMIT PURPOSES.

PROJECT NUMBER: 3788-00-01  
PROJECT MANAGER: R. CRONIN  
DRAWN BY: G. SANCHEZ  
CHECKED BY: V. ARRUDA  
ISSUE DATE: 2/16/2024

REV.	DATE	DESCRIP.	BY

SHEET CONTENT:  
**STORM DRAIN PLAN**

SHEET NO:  
**C9.0**