

ST. TERESA OF CALCUTTA CATHOLIC CHURCH
 FORT WORTH, TEXAS
 SEWER DETAILS

mma
 civil engineering surveying landscape architecture planning
 tlpels registration number: 1 - 2759
 tlpels registration/license number: 10088000
 519 east border
 arlington, texas 76010
 817-469-1671
 fax: 817-274-8757
 www.mmatexas.com


THIS DOCUMENT IS RELEASED FOR THE PURPOSES OF REVIEW UNDER THE AUTHORITY OF VALERIE ARRUDA, P.E. NO. 151600 ON 2/16/2024 AND IS NOT TO BE USED FOR CONSTRUCTION, BIDDING OR PERMIT PURPOSES.

PROJECT NUMBER: 3788-00-01
 PROJECT MANAGER: R. CRONIN
 DRAWN BY: G. SANCHEZ
 CHECKED BY: V. ARRUDA
 ISSUE DATE: 2/16/2024


REV.	DATE	DESCRIP.	BY

SHEET CONTENT:
SEWER DETAILS

SHEET NO:
C11.5
 COPYRIGHT © 2024 MMA, INC.



3 CLEAN OUT
 NOT TO SCALE



2 STANDARD MANHOLE
 NOT TO SCALE

1 WASTEWATER MANHOLE LINE INTERSECTION
 NOT TO SCALE

- NOTES:
1. MANHOLE TOP SHALL BE PER MANHOLE LID ASSEMBLY DETAILS AS INDICATED IN THE DRAWINGS.
 2. FOR CAST-IN-PLACE MANHOLES, CURE FOR THREE DAYS BEFORE BACKFILLING AROUND STRUCTURE.
 3. IF SOIL CONDITIONS OR GROUND WATER PREVENT USE OF COARSE AGGREGATE BASE A 2-INCH MUD SLAB MAY BE SUBSTITUTED.
 4. PRE-CAST JOINTS SHALL CONFORM TO ASTM C478.
 5. UNLESS OTHERWISE INDICATED IN THE DRAWINGS, 4" MANHOLES SHALL BE USED FOR 21" AND SMALLER SANITARY SEWER LINES AND 5" MANHOLES SHALL BE USED 24" UP TO 36" SANITARY SEWER LINES.
 6. HINGED LIDS SHALL BE REQUIRED FOR ALL SANITARY SEWER MANHOLES WITH CONNECTING LINES OF 24-INCHES AND GREATER.
 7. HINGED LIDS SHALL BE REQUIRED FOR ALL SANITARY SEWER MANHOLES WITH A RIM ELEVATION GREATER THAN 12-INCHES ABOVE NATURAL GROUND.

PLOTTED BY: GABRIEL SANCHEZ DATE: 2/16/2024 4:11 PM PATH: P:\3788-00-01\3788-00-01\Drawings\Sheet\CONSTRUCTION DETAILS.dwg